



RecDCL: Dual Contrastive Learning for Recommendation

Dan Zhang
Tsinghua University
zd21@mails.tsinghua.edu.cn

Yangliao Geng
Beijing Jiaotong University
gyarenas@gmail.com

Wenwen Gong
Tsinghua University
wenweng@mail.tsinghua.edu.cn

Zhongang Qi
ARC Lab, Tencent PCG
zhongangqi@tencent.com

Zhiyu Chen
FiT, Tencent
colinzhen@tencent.com

Xing Tang
FiT, Tencent
xing.tang@hotmail.com

Ying Shan
ARC Lab, Tencent PCG
yingsshan@tencent.com

Yuxiao Dong*
Tsinghua University
yuxiaod@tsinghua.edu.cn

Jie Tang*
Tsinghua University
jietang@tsinghua.edu.cn

ABSTRACT

Self-supervised learning (SSL) has recently achieved great success in mining the user-item interactions for collaborative filtering. As a major paradigm, contrastive learning (CL) based SSL helps address data sparsity in Web platforms by contrasting the embeddings between raw and augmented data. However, existing CL-based methods mostly focus on contrasting in a batch-wise way, failing to exploit potential regularity in the feature dimension. This leads to redundant solutions during the representation learning of users and items. In this work, we investigate how to employ both batch-wise CL (BCL) and feature-wise CL (FCL) for recommendation. We theoretically analyze the relation between BCL and FCL, and find that combining BCL and FCL helps eliminate redundant solutions but never misses an optimal solution. We propose a dual contrastive learning recommendation framework—RecDCL. In RecDCL, the FCL objective is designed to eliminate redundant solutions on user-item positive pairs and to optimize the uniform distributions within users and items using a polynomial kernel for driving the representations to be orthogonal; The BCL objective is utilized to generate contrastive embeddings on output vectors for enhancing the robustness of the representations. Extensive experiments on four widely-used benchmarks and one industry dataset demonstrate that RecDCL can consistently outperform the state-of-the-art GNNs-based and SSL-based models (with an improvement of up to 5.65% in terms of Recall@20). The source code is publicly available¹.

CCS CONCEPTS

• **Information systems** → Recommender systems.

*Corresponding authors: YD and JT

¹<https://github.com/THUDM/RecDCL>

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than the author(s) must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

WWW '24, May 13–17, 2024, Singapore, Singapore

© 2024 Copyright held by the owner/author(s). Publication rights licensed to ACM.

ACM ISBN 979-8-4007-0171-9/24/05...\$15.00

<https://doi.org/10.1145/3589334.3645533>

KEYWORDS

Recommender Systems, Self-supervised Learning, Batch-wise Contrastive Learning, Feature-wise Contrastive Learning

ACM Reference Format:

Dan Zhang, Yangliao Geng, Wenwen Gong, Zhongang Qi, Zhiyu Chen, Xing Tang, Ying Shan, Yuxiao Dong, and Jie Tang. 2024. RecDCL: Dual Contrastive Learning for Recommendation. In *Proceedings of the ACM Web Conference 2024 (WWW '24)*, May 13–17, 2024, Singapore, Singapore. ACM, New York, NY, USA, 12 pages. <https://doi.org/10.1145/3589334.3645533>

1 INTRODUCTION

Contrastive learning (CL) [19] is known as a major branch of self-supervised learning. The fundamental idea behind CL is to artificially augment more supervised instances and conduct a pretext task with augmented data, addressing the issue of data sparsity. In recent years, CL-based collaborative filtering (CF) has been proposed and achieved great success to mine interacted records from Web systems for recommendation [22, 33, 37, 42, 43, 49].

In general, CL-based collaborative filtering methods focus on batch-wise objective functions. Batch-wise objectives aim to maximize the similarity of embedding between positive pairs (diagonal) while minimizing that of negative pairs (off-diagonal). A typical kind of batch-wise based CF methods apply BPR loss [29] to predict the users' preferences on multiple interacted Web platforms (e.g., e-commerce, music, video), such as graph neural networks (GNNs)-based models (e.g., PinSAGE [40], LightGCN [15], and ApeGNN [47]) and self-supervised learning (SSL)-based models (e.g., SGL [37] and SimGCL [42]). In particular, these methods usually require both the user-item interacted pairs and the negative counterparts generated by negative sampling. However, since the negative sampling scheme may mistakenly treat “positive but unobserved” pairs as negative pairs, there exist critical limitations in the performance of these methods. Moreover, some recent batch-wise CL (BCL) recommendation methods (e.g., BUIR [22], CLRec [49], and DirectAU [33]) point out that more robust improvements can be obtained without negative sampling for Web recommendation systems. However, these BCL methods may lead to trivial constant solutions since they fail to leverage embedding information of users and items from Web platforms, which is illustrated in Figure 1.

To address this issue, we investigate CL-based methods in various domains and conclude their critical differences in Table 1. The




Figure 1: The motivating example that shows the effect for a negative pair in BCL, FCL, and BCL+FCL, where the light-shaded symbols indicate potentially possible solutions. In this example, BCL (top right) tends to align the negative pair on a straight line, i.e., even distribution in a circle; FCL (bottom left) mostly encourages the two representations to be orthogonal; BCL+FCL (bottom right) drives the two samples to saturate on either the x axis or the y axis. Note that using either BCL alone or FCL alone will result in infinite potential solutions. In contrast, combining BCL and FCL yields only four possible solutions: $\{(0, 1), (0, -1)\}$, $\{(0, -1), (0, 1)\}$, $\{(1, 0), (-1, 0)\}$ and $\{(-1, 0), (1, 0)\}$, which cancels the redundant solutions but never misses an optimal solution, and thus is intuitively a more reasonable regularization compared with BCL alone or FCL alone. High-dimensional cases are analogous.

objective functions of CL usually fall into two categories: batch-wise objectives and feature-wise objectives. As for the feature-wise objectives, existing works have attracted full attention in the computer vision (CV) domain. In particular, feature-wise CL methods such as Barlow Twins [44] and VICREG [1] have been devoted to investigating the importance of embedding vectors and proposing novel feature-wise objective functions. These methods maximize the variability of the embeddings by decorrelating the components in the feature-wise dimension, which can avoid collapse [35] and yield the desired performance. However, as shown in Figure 1, these FCL methods ignore important information provided in batch-wise objectives and lead to orthogonal distribution. In light of this, a meaningful question then arises: *Is there an effective optimization objective between batch-wise CL and feature-wise CL for self-supervised recommendations?* Regarding this, CL4CTR [34] proposes feature alignment and field uniformity and masks feature and dimension information to address the "long tail" distribution of feature frequencies for CTR prediction. However, previous studies [34, 35] only explored the connection between BCL and FCL, there has been a lack of a native interpretation to connect them and little effort has been made to understand the effect of combining them.

Table 1: Critical comparison between BCL methods, FCL methods, and RecDCL.

Models	Embedding Information	Sample Information	Redundant Solution	Distribution
BCL	✗	✓	✓	Even
FCL	✓	✗	✗	Orthogonal
RecDCL	✓	✓	✗	Even

To answer the above question, we investigate a native connection of the objective between the batch-wise CL and the feature-wise CL (Figure 1 and Observation 3.1) and present a perspective to show a cooperative benefit by using them both (Observation 3.2) from the perspective of theory and experiment. Based on these analyses, we propose a dual CL method, referred to as RecDCL. RecDCL joints feature-wise objectives and batch-wise objectives for self-supervised recommendations. On one hand, RecDCL optimizes the feature-wise CL objective (FCL) by eliminating redundancy between users and items. Especially, FCL captures the distribution of user-item positive pairs by measuring a cross-correlation matrix and optimizes user (items) distribution via a polynomial kernel. On the other hand, as a batch-wise dimension, we design basic BCL and advanced BCL to enhance the robustness of the representations, which the latter combines historical embedding with current embeddings and generates contrastive views via online and target networks. Extensive experiments validate that RecDCL outperforms the state-of-the-art GNN-based and SSL-based models (by up to 5.34% on Beauty), showing the effectiveness of jointly optimizing the feature-wise and batch-wise objectives.

The main contributions of this work are as follows:

- We theoretically reveal a native connection of the objective between feature-wise CL and batch-wise CL, and demonstrate a cooperative benefit by using them both from theoretical and experimental perspectives.
- Based on the above analysis, we propose a dual CL method named RecDCL with joint training objectives in feature-wise and batch-wise ways to learn informative representations.
- We conduct extensive experiments on four public datasets and one industrial dataset to show the effectiveness of the proposed RecDCL. Compared to multiple state-of-the-art methods, RecDCL achieves significant performance improvements up to 5.34% in terms of NDCG@20 on the Beauty dataset and 5.65% in terms of Recall@20 on the Yelp dataset.

2 PRELIMINARIES

This section briefly introduces three closely related technologies: batch-wise collaborative filtering, batch-wise contrastive learning, and feature-wise contrastive learning.

2.1 Batch-wise Collaborative Filtering

Let \mathcal{U} , \mathcal{I} and \mathcal{R} of a user-item bipartite graph \mathcal{G} be the user set, item set and interactions between users and items. A collaborative filtering method aims to rank all items and predict the possible items that the user will interact with next. A popular architecture for collaborative filtering is GCN. Given the initial embedding \mathbf{e}_u and \mathbf{e}_i for user u and item i , GCN aims to iteratively perform neighborhood aggregation and update node representation on \mathcal{G} . In each

iteration, a user node u aggregates the neighbors' representation of the $(l-1)$ -th layer, with which $\mathbf{e}_u^{(l-1)}$ is updated into $\mathbf{e}_u^{(l)}$. The same update rule applies to an item node i . After the L -layer iteration, the final ranking score between u and i is calculated via the inner product of their representations, i.e., $\hat{y}_{u,i} = \mathbf{e}_u^{(L)\top} \mathbf{e}_i^{(L)}$. The optimization objective is to push $\hat{y}_{u,i}$ closer to the ground truth y_{ui} in a point-wise manner. As a representative implementation, pairwise Bayesian Personalized Ranking (BPR) [29] enforces the predicted score of positive interaction is higher than its negative counterpart as follows:

$$\mathcal{L} = \sum_{(u,i,j) \in \mathcal{O}} -\log \sigma(\hat{y}_{u,i} - \hat{y}_{u,j}), \quad (1)$$

where \mathcal{O} is the training data, (u, i) is the observed interaction, (u, j) is the unobserved interaction, and σ is sigmoid function.

2.2 Batch-wise Contrastive Learning (BCL)

Due to the marginal improvements in existing BPR loss, a self-supervised learning paradigm has achieved great success in computer vision and natural language understanding [5, 8, 12]. Some recent studies often focus on contrastive learning dominant in the SSL-based paradigm, typically InfoNCE Loss in SGL [37], which mainly relies on the idea of applying graph augmentations on graph structure. Suppose that there are two augmented views of nodes, the views of the same node are regarded as the positive pairs, i.e., z'_u, z''_u , and the views of any different nodes as the negative pairs, i.e., z'_u, z''_v ($u, v \in \mathcal{U}, u \neq v$). InfoNCE Loss that aims to maximize the consistency of different views of the same node and minimize that of the views among different nodes are as follows:

$$\mathcal{L} = \sum_{u \in \mathcal{U}} -\log \frac{\exp(s(z'_u, z''_u)/\tau)}{\sum_{v \in \mathcal{U}} \exp(s(z'_u, z''_v)/\tau)}, \quad (2)$$

in which $s(\cdot)$ means the similarity between two representation vectors. Afterwards, Cosine Contrastive Loss in BUIR [22] and SelfCF [50], Alignment and Uniformity Loss in DirectAU [33]) bring more significant recommendation performance improvements. Among them, it should be particularly pointed out that the nowadays CL-based models (e.g., BUIR and DirectAU) perform top-K recommendation tasks without negative sampling, which enforces faster convergence and better recommendation performance.

2.3 Feature-wise Contrastive Learning (FCL)

Recent studies (e.g., Barlow Twins [44] and VICREG [1]) in contrastive representation learning emphasize the importance of representations in feature-wise objectives. Given two batches of perturbed views, Barlow Twins first feeds these inputs into an encoder and produces batches of representations \mathbf{Z} and $\hat{\mathbf{Z}}$, respectively. Then, it optimizes an innovative loss function by building a cross-correlation matrix \mathbf{C} between \mathbf{Z} and $\hat{\mathbf{Z}}$ as follows

$$C_{mn} = \frac{(\mathbf{Z}^{:,m})^\top \hat{\mathbf{Z}}^{:,n}}{\|\mathbf{Z}^{:,m}\| \|\hat{\mathbf{Z}}^{:,n}\|}, \quad (3)$$

where $1 \leq m, n \leq F$ denote the feature-wise indices of the embedding matrices. \mathbf{C} is a square matrix that has the same dimensions

as the encoder's output.

$$\mathcal{L} = \sum_m (1 - C_{mm})^2 + \lambda \sum_m \sum_{n \neq m} (C_{mn})^2. \quad (4)$$

The first term, also called the invariance term, aims to make the diagonal values close to 1 and keep the embedding invariant even if applying distortions. On the other hand, the redundancy reduction term is defined to make the off-diagonal elements close to 0 and decorrelate each dimension representation of the embedding. In our work, we will explore contrastive representation learning via these two items for collaborative filtering.

3 UNDERSTANDING BCL AND FCL

Since BCL and FCL serve as the cornerstones of this paper, a more in-depth discussion about them may be warranted before diving into methodological details. To this end, we first review existing perspectives and then present our interpretation. We reveal a native connection between the two CL principles (Observation 3.1) and discover that combining BCL and FCL intuitively forms a better regularization which can benefit from high embedding dimensions (Observation 3.2).

3.1 Existing Perspectives

Many BCL objectives follow a basic form known as InfoNCE [27]. The core idea of InfoNCE is to estimate model parameters by contrasting the embedding between raw samples and some randomly augmented samples, which can be approximately viewed to maximize the mutual information estimation between the two input signals. Towards a more intuitive interpretation, Wang et al. [35] show that BCL optimizes two quantifiable metrics of representation quality: *alignment* of features from positive pairs, and *uniformity* of the induced distribution of the (normalized) features on the hypersphere. The alignment and uniformity principle provides a nice perspective to understand BCL, which has motivated many follow-up works [7, 10, 28, 34, 38].

To achieve the desired performance, BCL usually requires some careful implementation designs such as large batch sizes [5] and memory banks [12]. To avoid these implementation details, Zbontar et al. [44] develops the first FCL method named Barlow Twins (BT), which trains the model via minimizing the redundancy between the components of representation instead of directly optimizing the geometry of embedding distribution. Kalantidis et al. [20] indicate that BT can be seen as a more modern, simpler way to optimize deep canonical correlation analysis. Tsai et al. [32] relate Barlow Twins to the Hilbert-Schmidt independence criterion, which suggests a possibility to bridge the two major families of self-supervised learning philosophies: non-contrastive and contrastive approaches.

BCL and FCL can be regarded as two dimensions of contrastive learning. Some recent works have been devoted to revealing the underlying connection between them. Towards the generalization ability of CL, Huang et al. [18] develop a mathematical analysis framework to prove that BCL and FCL enjoy some common advantages. Zhang et al. [48] propose a negative-free contrastive learning method that combines BCL and FCL, but they fail to clarify the insight for doing so. Following the principle of maximum entropy in information theory, Liu et al. [26] propose a maximum entropy

coding loss, which provides a unified perspective to understand BCL and FCL objectives.

Summary. The explanation for BCL alone [11, 27, 35] or FCL alone [20, 32, 44] has been well established. In addition, the connection between BCL and FCL has also been explored from the generalization view [18] and the maximum entropy coding theory [26]. However, there still lacks a native interpretation to connect them without introducing extra knowledge. Furthermore, efforts to understand the effect of combining BCL and FCL are almost missing. We try to answer these two questions next.

3.2 Our Interpretation

This part aims to approach two questions: what is the relationship between BCL and FCL (Cf. Observation 3.1), and why does combining them work (Cf. Observation 3.2).

Intuitively, BCL and FCL share the same mechanism, i.e., drawing positive pairs close while pushing negative pairs away. The difference lies in the objects that make up their pairs. The considered objects are samples for BCL while features for FCL. This difference seems to endow the two CL objectives with different effects when optimizing a model. Interestingly, they lead the model to optimize in similar directions under some conditions. Formally, we conclude our observation as follows with theoretical analyses provided in A.1.

OBSERVATION 3.1. *If the two embedding matrices are standardized (i.e., they have mean zero and standard deviation one), then the objectives of BCL and FCL can be approximately transformed to each other².*

Observation 3.1 shows that there exists an inherent connection between BCL and FCL. A follow-up question would be *whether it is necessary to use them both?* We provide a perspective below to partially answer this question. The key to our perspective is to consider the role that negative pairs play in the two objectives. For BCL, it has been known that pushing the negative pairs away actually approximately encourages the samples to be evenly distributed in the embedding space, which together with the positive pair constraint implicitly enlarges the classification margin [35]. For FCL, the reason for pushing negative pairs away in the feature-wise space may be not obvious. Although some explanations have been made from the information theory [1, 21, 26, 44], a more intuitive explanation can help to understand how this regularization contributes to final embedding. Therefore, we provide an illustrative example to interpret the effect of BCL, FCL, and BCL+FCL in Figure 1, with main observations concluded in Observation 3.2.

OBSERVATION 3.2. *For normalized sample embedding, pushing negative pairs away has different influences on embedding learning between BCL and FCL. For BCL, it encourages samples to be evenly distributed in the embedding space. For FCL, it tends to drive the representations of samples to be orthogonal. This difference is mainly due to that BCL encourages the inner product of negative pairs (in the batch dimension) to be as small as possible; but FCL only enforces the inner product of negative pairs (in the feature dimension) to be close to zero, which implicitly encourages the representations of samples (in*

²The theoretical analysis for Observation 3.1 is provided in Appendix A.1.

the batch dimension) to be orthogonal. If we combine BCL and FCL, pushing negative pairs away will not only encourage sample representations to be evenly distributed in the embedding space but also help eliminate redundant solutions (Cf. Figure 1)³. This regularity can benefit embedding learning as the embedding dimension increases⁴.

3.3 Recommendation Intuition

To validate the effectiveness of regularity in Section 3.2, we conduct an ablation study to see whether combining BCL and FCL results in a more desirable embedding distribution. Specifically, we compare the average entropy of the embeddings among FCL, BCL, and BCL+FCL on the Yelp dataset. Let \mathbf{x} denote the embedding of a sample. We select the top- K (1024 and 2048) absolute values of \mathbf{x} via two approaches and normalize them into a K -dimensional probability distribution. The first one is we sort the embedding values in a descending way for each sample and obtain the top- K values, called each-sample. The second one is we calculate the mean values in each dimension for all samples, sort the values, obtain the top- K indices, and extract the top- K values for each sample, called mean-sample. Based on the above step, the entropy of each sample can be calculated and we average it throughout all samples. The results are shown in Table 2 and Table 3 (lower average entropy indicates sharper embedding distribution).

Table 2: The result of each-sample method.

each-sample	FCL	BCL	BCL+FCL
top-1024 ↓	6.4713	5.7578	5.6576
top-2048 ↓	6.6666	5.9306	5.8246

Table 3: The result of the mean-sample method.

mean-sample	FCL	BCL	BCL+FCL
top-1024 ↓	6.1386	5.3328	5.1815
top-2048 ↓	6.6666	5.9306	5.8246

We can observe that BCL+FCL achieves the smallest average entropy, which demonstrates the embedding distribution of BCL+FCL is sharper (Cf. the bottom right of Figure 1). Note that no contradiction arises between Observation 3.1 and Observation 3.2. The former reveals the connection between BCL and FCL through some theoretical approximations and assumptions, while the latter states that pushing negative pairs away in BCL and FCL can have complementary benefits. These consequences afford insights into a dual CL design which motivates our RecDCL.

4 THE RECDCL METHOD

Motivated by the analyses in Section 3, we develop a dual CL framework for recommendation, referred to as RecDCL. RecDCL is mainly characterized by two recommendation-fitted CL objectives: a Rec-FCL objective (Section 4.1) for driving the representations to be orthogonal, and a Rec-BCL objective (Section 4.2) for enhancing the robustness of the representations. Throughout this section, we use $\mathbf{E}_U \in \mathbb{R}^{B \times F}$ ($\mathbf{E}_I \in \mathbb{R}^{B \times F}$) to denote the user (item) embedding

³The theoretical and experimental analysis for Observation 3.2 is provided in Appendix A.2.

⁴Empirical evidence will be provided in Section 3.3.




Figure 2: The overall framework of RecDCL. In this framework, (a) denotes the cross-correlation matrix to an identity matrix between users and items in FCL; (b) and (c) stand for the distribution uniformity within users and items in FCL; (d) denotes the random distribution on user-item positive pairs in BCL; (e) demonstrates the final distribution on users and items produced by a dual CL.

matrix, and $E_U^{m,:}$ and $E_U^{:,n}$ to respectively denote the m -th row and the n -th column of E_U , where B stands for the number of samples in a batch and F represents the embedding dimension.

4.1 FCL Objective for Recommendation

Eliminate redundancy between users and items. To explore the alignment in an FCL way, we propose to extend the Barlow Twins objective function, namely UIBT, for self-supervised recommendations. More specially, we build a cross-correlation matrix computed from user and item embedding, and make it close to the identity matrix via invariance term and variance term as shown in Figure 2. Formally, the cross-correlation matrix C between E_U and E_I can be computed. C is a square matrix that has the same dimensions as the encoder’s output. Note that we define the invariance term and redundancy reduction term with a factor $1/F$ that scales the criterion as a function of the dimension:

$$\mathcal{L}_{UIBT} = \underbrace{\frac{1}{F} \sum_m (1 - C_{mm})^2}_{\text{invariance}} + \underbrace{\frac{\gamma}{F} \sum_m \sum_{m \neq n} C_{mn}^2}_{\text{redundancy reduction}}. \quad (5)$$

In Eq. (5), the invariance term aims to make the diagonal elements of the matrix C equal to 1 and meet the vector invariance to the distorted samples. Besides, the redundancy reduction term aims to make the off-diagonal elements of the matrix C equal to 0 and reduce the redundancy within the output representation.

Eliminate redundancy within users and items. In addition, to further enhance the embedding diversity between different features, we propose a feature-wise uniformity optimization via a polynomial kernel, namely UUII. The polynomial kernel is the natural feature-wise way to present samples on the hypersphere. Considering the possible distribution gap between users and items, we calculate uniformity separately within the user embedding and the item embedding. The joint objective can be formulated as

$$\mathcal{L}_{UUII} = \frac{1}{2} \log \sum_{m \neq n} (a(E_U^{:,m})^\top E_U^{:,n} + c)^e + \frac{1}{2} \log \sum_{m \neq n} (a(E_I^{:,m})^\top E_I^{:,n} + c)^e, \quad (6)$$

where a , c and e are parameters of the polynomial kernel and set to 1, $1e-7$ and 4 by default, respectively. Note that feature-wise uniformity loss is only calculated via representations of in-batch samples since in-batch instances are more consistent with the actual user and item data distribution. As a result, the user/item distribution will be uniform, as shown in Figure 2. In addition, the exposure bias can be reduced by incorporating user/item distribution, which is illustrated in CLRec [49].

4.2 BCL Objective for Recommendation

Indeed, the proposed BCL objective and the proposed FCL objective (UIBT and UUII) are designed and evaluated for recommendations.

Basic BCL. To validate the generality, we propose a baseline that solely combines the basic BCL (DirectAU) and FCL (only off-diagonal elements) methods. We directly design a summing loss function called DCL and conduct experiments on four public datasets. The summing loss function is described as:

$$\mathcal{L}_{DCL} = \mathcal{L}_{DirectAU} + \lambda \mathcal{L}_{FCL}. \quad (7)$$

Advanced BCL. As analyzed in Section 3.2, combining the two dimensions FCL and BCL can intuitively benefit model learning. It motivates us to further improve optimization via a BCL objective. Generally, data augmentation can be achieved via a series of meaningful perturbations in many scenarios such as computer vision and neural language processing. However, positive user-item pairs in CF need to be preserved for representation invariance and are difficult to distort for data augmentation. To avoid this issue and achieve the same effect, as shown in Figure 2, we conduct data augmentation on output representation and generate contrastive but related views for representation learning, namely BCL. Owing to the simple design and effectiveness of LightGCN, we adopt it as the graph encoder f_θ to conduct node aggregation and propagation. After generating embedding of each layer and stacking multi-layer representations, we use historical embeddings [3, 9, 50] to perform augmentation on output embedding.

For the objective function, a trivial choice would be directly applying the original InfoNCE introduced in Eq. (2). A recent work

[45] indicates that InfoNCE can be understood under a more general framework. It provides a perspective to unify InfoNCE with another popular SSL method SimSiam, which implicitly performs CL through the stop-gradient and asymmetric trick. We empirically find that this implicit CL design achieves better performance and choose it as our implementation.

Suppose \mathbf{E}_U (\mathbf{E}_I) is the current embedding generated by the encoder f_θ and $\mathbf{E}_U^{(h)}$ ($\mathbf{E}_I^{(h)}$) is the historical embedding. The perturbed representation $\hat{\mathbf{E}}_U$ is calculated by combining $\mathbf{E}_U^{(h)}$ and \mathbf{E}_U :

$$\hat{\mathbf{E}}_U = \tau \mathbf{E}_U^{(h)} + (1 - \tau) \mathbf{E}_U, \quad \hat{\mathbf{E}}_I = \tau \mathbf{E}_I^{(h)} + (1 - \tau) \mathbf{E}_I, \quad (8)$$

where τ is a hyper-parameter that controls the embedding information preservation ratio from a prior training iteration. Note that we perform representation distortion on the historical embedding from prior training iterations in the target network instead of perturbing the input commonly [22] or the current node embedding [41, 42] directly as used in previous CL-based recommendation methods.

Besides, online and target networks share the same graph encoder f_θ in this component, which can reduce the additional memory and computation cost. Therefore, the optimization of batch-wise output augmentation can be formulated as follows:

$$\mathcal{L}_{BCL} = \frac{1}{2} S(h(\mathbf{E}_U), sg(\hat{\mathbf{E}}_I)) + \frac{1}{2} S(sg(\hat{\mathbf{E}}_U), h(\mathbf{E}_I)), \quad (9)$$

where $h(\cdot)$ is a multi-layer perceptron network; $sg(\cdot)$ is the stop-gradient operation; and $S(\cdot, \cdot)$ denotes the cosine distance.

4.3 Training Objective

In a word, the main goal of RecDCL is to design an FCL objective and an advanced BCL objective that capture embedding importance and maximize the benefits from a dual CL to encourage embedding learning, as shown in Figure 2. In practice, we jointly optimize these three objectives with trade-off hyperparameters α and β as follows:

$$\mathcal{L} = \mathcal{L}_{UIBT} + \alpha \mathcal{L}_{UUII} + \beta \mathcal{L}_{BCL}. \quad (10)$$

Finally, we calculate the ranking score function by using the inner product between user and item representations.

5 EXPERIMENTS

In this section, we conduct extensive experiments on four public datasets and one industrial dataset in real-world application to validate the effectiveness of RecDCL. We introduce the overall performance and study the influence of each design of RecDCL. We also describe experimental settings, analyze the efficiency, and give detailed hyper-parameter sensitivity analysis in Appendix D.

5.1 Overall Performance

In Table 4, we show the overall top-20 performance of all the baselines and our RecDCL. Specifically, we highlight the best result in **bold** and the second best result in underline, calculate the relative improvement (%Improv.) for our methods, and show the p -value in t-test experiments on each dataset. We give detailed observations based on these experimental results.

Comparison with MF-based models. From Table 4, we can observe that SSL-based models except BUIR on Game, particularly our RecDCL, can obtain superior results on most conditions. This

demonstrates that SSL-based models have remarkable advantages in the problem of extremely sparsity data. More specifically, BPR-MF outperforms VAE-based models and GNNs-based models on Beauty and Food datasets, while the performance of NeuMF is the poorest on all datasets. This indicates that the VAE-based models and GNNs-based models can better capture the interactions between users and items via variational autoencoders and graph neural networks.

Comparison with VAE-based models. Compared to GNNs-based models, VAE-based models obtain inferior results on Beauty and Game even though they are effective on Yelp. In contrast, our RecDCL as well as contrastive learning-based DirectAU are robust and achieve significantly better on all four datasets. This suggests that SSL-based models represented by our RecDCL can address the sample distribution of users and items in user-item interaction well.

Comparison with GNNs-based models. As shown in Table 4, SSL-based models (CLRec and our RecDCL) are higher than GNNs-based models in terms of Recall@20 and NDCG@20 on all four datasets, while BUIR performs well on Beauty and Food datasets. Especially, our proposed RecDCL exceeds the state-of-the-art GNNs-based model LightGCN by 17.06%, 17.87%, 6.46%, and 37.49% in terms of Recall@20 on all four datasets respectively, which verifies the effectiveness of constructing SSL-based loss function instead of BPR loss with negative sampling. Moreover, this advantage also answers the question mentioned in Section 1 that CF-based recommendation models without negative sampling can still be effective.

Comparison with SSL-based models. Particularly, in Table 4, we show existing batch-wise CL objectives based BUIR, CLRec, and DirectAU in SSL-based recommendation outperforms the state-of-the-art GNNs-based methods in CF, although only using positive user-item pairs to construct contrastive learning loss function. Particularly, our proposed RecDCL consistently derives promising results on all four datasets and improves by 1.33%-5.20% and 3.35%-5.34% in terms of Recall@20, and NDCG@20, which verifies the effectiveness of incorporating the feature-wise objectives for self-supervised recommendation in RecDCL. It also meets the viewpoint in Section 1 that feature-wise CL is worth considering and the theoretical analysis in Section 3 about the effective combination of feature-wise objectives and batch-wise objectives for SSR.

5.2 Study of RecDCL

To investigate the reasons for RecDCL's effectiveness, we perform comprehensive ablation experiments to study the necessity of each component in RecDCL. Considering the limited space, we only show the analysis on representative datasets (Beauty and Yelp). The result analysis on Food and Game datasets is represented in Table ?? of Appendix ??.

Effect of feature-wise objective UIBT. As discussed in Section 4, UIBT achieves approximate results compared to the base encoder model LightGCN in feature-wise objectives. Table 5 shows the comparison between LightGCN and the components of UIBT on Beauty and Yelp. We can find that (1) only "w/ UIBT" is better than LightGCN on Beauty in terms of Recall@20 and NDCG@20/ (2) To validate the effectiveness of UIBT, we compare results between "w/ UUII" and "w/ UIBT & UUII". From Table 5, we find that the

Table 4: Overall top-20 performance (% is omitted) comparison with representative models on four datasets (R and N are the abbreviations for Recall and NDCG).

Models	Dataset	Beauty		Food		Game		Yelp	
	Metrics	R@20	N@20	R@20	N@20	R@20	N@20	R@20	N@20
Base	Pop	3.25	1.31	5.74	3.40	2.82	1.06	1.58	0.96
MF-based	BPR-MF	14.12	6.62	27.02	21.04	18.16	8.33	6.92	4.29
	NeuMF	7.66	3.46	15.28	8.79	10.36	4.28	6.01	3.63
VAE-based	Multi-VAE	11.37	5.46	24.89	20.77	15.50	7.18	9.51	5.84
	RecVAE	12.76	6.37	26.69	22.29	17.65	8.38	10.70	6.69
GNNs-based	NGCF	13.27	6.28	26.84	20.96	18.04	8.31	7.29	4.45
	LightGCN	13.48	6.25	24.56	16.77	19.20	8.91	8.43	5.23
SSL-based	BUIR	14.60	7.29	28.26	22.19	15.04	6.73	8.08	4.97
	CLRec	15.17	<u>7.56</u>	27.64	20.65	20.12	9.60	10.95	6.89
	DirectAU	15.43	7.49	<u>28.57</u>	<u>22.41</u>	20.14	9.55	<u>10.97</u>	<u>6.92</u>
	DCL	15.59	7.54	28.63	22.52	20.20	9.58	10.99	6.96
	%Improv.	1.04%	0.67%	0.21%	0.49%	0.30%	0.31%	0.18%	0.58%
	RecDCL	15.78	7.89	28.95	23.27	20.44	9.87	11.59	7.28
	%Improv.	2.27%	5.34%	1.33%	3.84%	1.49%	3.35%	5.65%	5.20%
	<i>p</i> -value	0.004115	0.000478	0.002255	0.000017	0.264695	0.029848	0.001402	0.006503

¹ Note that we tune embedding size from 32 to 2048 and report the best results for all baselines and our method RecDCL. Generally, the embedding size is set by default to 64.

² Indeed, RecDCL is the very first work to explore the effectiveness of FCL for recommendations. We have looked and found that there are no appropriate baselines for FCL. To comprehensively compare, we conduct the experiments in ablation studies, that is UIBT for FCL.

latter value is not just higher than LightGCN, and higher than "w/ UUII" on Beauty and Yelp. (3) Similarly, the comparison between "w/ BCL" and "w/ UIBT & BCL" also shows this ascending trend on two datasets, which again demonstrates the importance of interactions between users and items either in FCL or BCL.

Table 5: Performance comparison of different designs of RecDCL on Beauty and Yelp.

Method	Beauty		Yelp	
	R@20	N@20	R@20	N@20
LightGCN	13.48	6.25	8.43	5.28
w/ UIBT	14.78	7.47	9.92	6.18
w/ UUII	1.01	0.50	0.06	0.03
w/ BCL	14.90	7.51	10.08	6.36
w/ UIBT & UUII	14.88	7.43	<u>11.00</u>	<u>6.85</u>
w/ UIBT & BCL	<u>15.64</u>	<u>7.63</u>	10.73	6.78
w/ UUII & BCL	15.16	7.59	7.65	4.66
RecDCL	15.78	7.89	11.59	7.28
%Improv.	17.06%	26.24%	37.49%	37.88%

Effect of feature-wise objective UUII. As shown in Table 5, (1) Compared to "w/ UIBT" and "w/ BCL", the performance of only feature-wise UUII, namely "w/ UUII", is extremely poor on Beauty and Yelp. This finding is similar to DirectAU which only optimizes uniformity, which just goes to show the importance of optimizing uniformity. (2) Compared to "w/ UIBT" and "w/ UIBT & UUII", the performance of "w/ UIBT & UUII" consistently outperforms "w/ UIBT" on Beauty and Yelp datasets. This shows the importance of

sample distribution within users and items for recommendation. Besides, addressing feature-wise interaction distribution and user (item) data distribution is vital for performance improvements. (3) The comparison between "w/ BCL" and "w/ UUII & BCL" shows the performance improvement given by "w/ UUII". (4) In fact, the UUII component simulates the real distribution among users (items) and meets the essential characteristic of contrastive learning. In combination with the above analysis, the UIBT maximizes the similar representation while minimizing the dissimilar embedding between users and items of in-batch, and the UUII nominal minimizes the similarity among users (items) in a feature-wise way.

Effect of batch-wise augmentation BCL. From Table 5, we have some observations: (1) we first conduct experiments solely on batch-wise augmentation and find that it is better than base LightGCN on the Beauty dataset, which shows the benefits of data augmentation that reinforces the interaction between users and items. (2) To further study the influence of output augmentation, we compare "w/ UUII" and "w/ UUII & BCL", which demonstrates the effectiveness of BCL. Note that the performance of "w/ UUII & BCL" is better than "w/ BCL" even if the performance of only "w/ UUII" is poor, which again shows the importance of combining interactions with user (item) distribution. (3) Meanwhile, the comparison between "w/ UIBT" and "w/ UIBT & BCL" also shows the effectiveness of BCL on these two datasets.

5.3 Industrial Results

To further study the effectiveness of our method, we employ RecDCL on an industrial dataset, which is collected from an online payment platform. We first extract links between users and retailers from user payment behavior logs in a month, December 2022.

Then, we define users who conduct more than 3 payments as core users and subsample the users from the core user set. The general statistics of this dataset are summarized in Table 6.

Table 6: Statistics of payment dataset.

Dataset	# Users	# Retailers	# Inter	Density	Sparsity
Payment	83,810	23,318	797,828	0.0408%	99.96%

Table 7: Performance of RecDCL on payment platform data.

Method	BPR-MF	Mult-VAE	LightGCN	DirectAU	RecDCL	%Improv.
Recall@20	<u>35.27</u>	31.87	33.48	31.34	36.47	3.40%
NDCG@20	<u>16.61</u>	15.19	15.08	14.07	17.86	7.53%

We conducted an offline experiment on a worker equipped with NVIDIA-A100 GPU, and 40GB memory. Following the experimental setting in Section 5, the users’ behaviors are also split into training/validation/test sets with a ratio of 0.8/0.1/0.1. The main task focuses on retrieving top- N business from the item pool and then recommending them to users. To evaluate the task, we introduce Recall@20 and NDCG@20 as metrics, which are carefully considered in the real industrial platform.

Notice that although the baseline of this platform is BPR-MF, we also conduct experiments on LightGCN and DirectAU to further compare our method with others. As shown in Table 4, the overall effectiveness of DirectAU is better on the private dataset than on the public datasets. Regarding this, we speculate that the reason behind this is the long-tail effect of this task is more serious, and DirectAU has a uniform loss, which may be a little bad in the case of such a serious long-tail effect. Table 7 demonstrates that our method performs significantly compared with other baselines in terms of two metrics Recall@20 and NDCG@20, improving by 3.40% and 7.53% respectively.

6 RELATED WORK

6.1 Collaborative Filtering

Collaborative filtering plays a vital role in modern recommendation systems [30]. The key idea of CF is that similar users tend to have similar preferences on items. To address the issue of data sparsity in CF, Matrix Factorization (MF) decomposes the original user-item interacted matrix to the low-dimensional matrix with user (item) latent features. NeuMF [16] based on a deep neural network is proposed to learn rich information and compress latent features. Furthermore, based on the viewpoint that the modeling capacity of linear factor models often is limited, Liang et al. [24] introduce the generative model - variational autoencoders (VAEs) with multinomial likelihood into collaborative filtering tasks and propose Mult-VAE, which shows excellent performance for top- N recommendations mainly owing to well modeling user-item implicit feedback data. Afterward, RecVAE [31] improves several aspects of the Mult-VAE, mainly including a novel encoder, novel approach to setting hyperparameter, and new training strategy, and then performs well.

With the development of graph neural networks (GNNs) [36, 46], GNNs-based CF models are widely studied and proposed. The observed user-item interaction matrix can be built as a bipartite

graph, and GNNs-based models [4, 15, 36, 51] aggregate information from neighbors and capture high-order connection information on graph-structure data. Take LightGCN [15] as an example, it simplifies the GNN architecture by removing nonlinear activation as well as feature transformation based on NGCF [36]. Such methods do produce relatively ideal results, however, there still remains a tricky challenge when we are faced with extremely sparse data.

6.2 Contrastive Learning for Recommendation

Recently, self-supervised learning for recommendations has attracted increasing attention and several SSL-based CF [2, 14, 22, 25, 33, 37, 39, 49, 50] has achieved competitive results. According to the learning objective and negative sampling strategy, we divide existing SSL-based CF into two categories: **(1) With sampling:** the state-of-the-art model SimGCL [42] perturbed the current representation of each node via random and different noise-based data augmentation. **(2) Without sampling:** inspired by MoCo [13], BUIR [22] proposes an asymmetric structure to learn user and item representation solely on user-item positive pairs. SelfCF [50] inherits the Siamese network structure of SimSiam’s architecture [6] and optimizes Cosine Similarity loss on output augmentation obtained in in-batch positive-only data. CLRec [49] adopts InfoNCE loss to tackle exposure bias for recommendation. DirectAU [33] focuses on the desired properties of representations from the alignment and uniformity metrics and optimizes these two properties via a new loss function in CF. However, none of these works considered CL-based recommendations from the perspective of feature-wise, resulting in limited performance. Barlow Twins [44] is the first to investigate the feature-wise objective in CV domains. Motivated by Barlow Twins, we study the feasibility of feature-wise objectives and design a dual CL with BCL and FCL objectives. Due to the prominent results on SSL-based models without sampling, we follow this design principle to optimize the learning objective.

7 CONCLUSION

In this work, we theoretically reveal the connection of the objective between BCL and FCL and show a cooperative benefit by using them both, which motivates us to develop a dual CL called RecDCL that jointly optimizes BCL and FCL training objectives to learn informative representations for recommendation. Then we investigate the two desired properties of representation — alignment and uniformity — in FCL objectives for CF, and perform data augmentation on output vectors for robustness in BCL objective. Extensive experiments on four public datasets and an industrial dataset show the superiority of our proposal considering the FCL objectives. We hope RecDCL could attract the CF community’s attention to the learning paradigm toward FCL perspective representation properties. In the future, we will investigate other CL-based training objectives that also favor feature-wise perspectives to improve effectiveness and efficiency.

ACKNOWLEDGMENTS

This work has been supported by Technology and Innovation Major Project of the Ministry of Science and Technology of China under Grant 2022ZD0118600, Natural Science Foundation of China (NSFC) 62276148, NSFC for Distinguished Young Scholar 61825602, the New Cornerstone Science Foundation through the XPLOER PRIZE, and a research fund from Zhipu AI.

REFERENCES

- [1] Adrien Bardes, Jean Ponce, and Yann LeCun. 2021. Vicreg: Variance-invariance-covariance regularization for self-supervised learning. *arXiv preprint arXiv:2105.04906* (2021).
- [2] Xuheng Cai, Chao Huang, Lianghao Xia, and Xubin Ren. 2023. LightGCL: Simple Yet Effective Graph Contrastive Learning for Recommendation. *arXiv preprint arXiv:2302.08191* (2023).
- [3] Jianfei Chen, Jun Zhu, and Le Song. 2017. Stochastic training of graph convolutional networks with variance reduction. *arXiv preprint arXiv:1710.10568* (2017).
- [4] Lei Chen, Le Wu, Richang Hong, Kun Zhang, and Meng Wang. 2020. Revisiting graph based collaborative filtering: A linear residual graph convolutional network approach. In *Proceedings of the AAAI conference on artificial intelligence*, Vol. 34. 27–34.
- [5] Ting Chen, Simon Kornblith, Mohammad Norouzi, and Geoffrey Hinton. 2020. A simple framework for contrastive learning of visual representations. In *International Conference on Machine Learning*. PMLR, 1597–1607.
- [6] Xinlei Chen and Kaiming He. 2021. Exploring simple siamese representation learning. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*. 15750–15758.
- [7] Ching-Yao Chuang, Joshua Robinson, Yen-Chen Lin, Antonio Torralba, and Stefanie Jegelka. 2020. Debaised contrastive learning. In *Advances in Neural Information Processing Systems*. 8765–8775.
- [8] Jacob Devlin, Ming-Wei Chang, Kenton Lee, and Kristina Toutanova. 2019. Bert: Pre-training of deep bidirectional transformers for language understanding. *2019 Annual Conference of the North American Chapter of the Association for Computational Linguistics*.
- [9] Matthias Fey, Jan E Lenssen, Frank Weichert, and Jure Leskovec. 2021. Gnnautoscale: Scalable and expressive graph neural networks via historical embeddings. In *International Conference on Machine Learning*. PMLR, 3294–3304.
- [10] Tianyu Gao, Xingcheng Yao, and Danqi Chen. 2021. SimCSE: Simple Contrastive Learning of Sentence Embeddings. In *Proceedings of the 2021 Conference on Empirical Methods in Natural Language Processing*. 6894–6910.
- [11] Michael Gutmann and Aapo Hyvärinen. 2010. Noise-contrastive estimation: A new estimation principle for unnormalized statistical models. In *Proceedings of the thirteenth international conference on artificial intelligence and statistics*. JMLR Workshop and Conference Proceedings, 297–304.
- [12] Kaiming He, Haoqi Fan, Yuxin Wu, Saining Xie, and Ross Girshick. 2020. Momentum contrast for unsupervised visual representation learning. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*. 9729–9738.
- [13] Kaiming He, Haoqi Fan, Yuxin Wu, Saining Xie, and Ross Girshick. 2020. Momentum contrast for unsupervised visual representation learning. In *Proceedings of the IEEE/CVF conference on computer vision and pattern recognition*. 9729–9738.
- [14] Wei He, Guohao Sun, Jinhua Lu, and Xiu Susie Fang. 2023. Candidate-aware Graph Contrastive Learning for Recommendation. In *Proceedings of the 46th International ACM SIGIR Conference on Research and Development in Information Retrieval* (<conf-loc>, <city>Taipei/</city>, <country>Taiwan/</country>, </conf-loc>) (SIGIR '23). Association for Computing Machinery, New York, NY, USA, 1670–1679. <https://doi.org/10.1145/3539618.3591647>
- [15] Xiangnan He, Kuan Deng, Xiang Wang, Yan Li, Yongdong Zhang, and Meng Wang. 2020. Lightgcn: Simplifying and powering graph convolution network for recommendation. In *Proceedings of the 43rd International ACM SIGIR conference on research and development in Information Retrieval*. 639–648.
- [16] Xiangnan He, Lizi Liao, Hanwang Zhang, Liqiang Nie, Xia Hu, and Tat-Seng Chua. 2017. Neural collaborative filtering. In *Proceedings of the 26th international conference on world wide web*. 173–182.
- [17] Roger A Horn and Charles R Johnson. 2012. *Matrix Analysis*. Cambridge university press.
- [18] Weiran Huang, Mingyang Yi, and Xuyang Zhao. [n. d.]. Towards the generalization of contrastive self-supervised learning. *arXiv preprint arXiv:2111.00743*, year=2021 ([n. d.]).
- [19] Ashish Jaiswal, Ashwin Ramesh Babu, Mohammad Zaki Zadeh, Debapriya Banerjee, and Fillia Makedon. 2020. A survey on contrastive self-supervised learning. *Technologies* 9, 1 (2020), 2.
- [20] Y. Kalantidis, C. Lassance, J. Almazán, and D. Larlus. 2022. TLDR: Twin learning for dimensionality reduction. *Transactions of Machine Learning Research* (2022). <https://openreview.net/forum?id=86fhqdBUBx>
- [21] Julius Von Kügelgen, Yash Sharma, Luigi Gresele, Wieland Brendel, Bernhard Schölkopf, Michel Besserve, and Francesco Locatello. 2021. Self-Supervised Learning with Data Augmentations Provably Isolates Content from Style. In *Advances in Neural Information Processing Systems*, A. Beygelzimer, Y. Dauphin, P. Liang, and J. Wortman Vaughan (Eds.). https://openreview.net/forum?id=4pf_pOo0Dt
- [22] Dongha Lee, SeongKu Kang, Hyunjun Ju, Chanyoung Park, and Hwanjo Yu. 2021. Bootstrapping user and item representations for one-class collaborative filtering. In *Proceedings of the 44th International ACM SIGIR Conference on Research and Development in Information Retrieval*. 317–326.
- [23] Jae-woong Lee, Seongmin Park, Mincheol Yoon, and Jongwuk Lee. 2023. uCTRL: Unbiased Contrastive Representation Learning via Alignment and Uniformity for Collaborative Filtering. *arXiv preprint arXiv:2305.12768* (2023).
- [24] Dawen Liang, Rahul G Krishnan, Matthew D Hoffman, and Tony Jebara. 2018. Variational autoencoders for collaborative filtering. In *Proceedings of the 2018 world wide web conference*. 689–698.
- [25] Zihan Lin, Changxin Tian, Yupeng Hou, and Wayne Xin Zhao. 2022. Improving graph collaborative filtering with neighborhood-enriched contrastive learning. In *Proceedings of the ACM Web Conference 2022*. 2320–2329.
- [26] Xin Liu, Zhongdao Wang, Ya-Li Li, and Shengjin Wang. 2022. Self-Supervised Learning via Maximum Entropy Coding. In *Advances in Neural Information Processing Systems*, Alice H. Oh, Alekh Agarwal, Danielle Belgrave, and Kyunghyun Cho (Eds.). <https://openreview.net/forum?id=njt27NQffr>
- [27] Aaron van den Oord, Yazhe Li, and Oriol Vinyals. 2018. Representation learning with contrastive predictive coding. *arXiv preprint arXiv:1807.03748* (2018).
- [28] Ruihong Qiu, Zi Huang, Hongzhi Yin, and Zijian Wang. 2022. Contrastive learning for representation degeneration problem in sequential recommendation. In *ACM International Conference on Web Search and Data Mining*. 813–823.
- [29] Steffen Rendle, Christoph Freudenthaler, Zeno Gantner, and Lars Schmidt-Thieme. [n. d.]. BPR: Bayesian personalized ranking from implicit feedback. *arXiv preprint arXiv:1205.2618*, year=2012 ([n. d.]).
- [30] J Ben Schafer, Dan Frankowski, Jon Herlocker, and Shilad Sen. 2007. Collaborative filtering recommender systems. In *The adaptive web*. Springer, 291–324.
- [31] Ilya Shenbin, Anton Alekseev, Elena Tutubalina, Valentin Malykh, and Sergey I Nikolenko. 2020. Recvae: A new variational autoencoder for top-n recommendations with implicit feedback. In *Proceedings of the 13th International Conference on Web Search and Data Mining*. 528–536.
- [32] Yao-Hung Hubert Tsai, Shaojie Bai, Louis-Philippe Morency, and Ruslan Salakhutdinov. [n. d.]. A note on connecting barlow twins with negative-sample-free contrastive learning. *arXiv preprint arXiv:2104.13712*, year=2021 ([n. d.]).
- [33] Chenyang Wang, Yuanqing Yu, Weizhi Ma, Min Zhang, Chong Chen, Yiqun Liu, and Shaoping Ma. 2022. Towards Representation Alignment and Uniformity in Collaborative Filtering. In *Proceedings of the 28th ACM SIGKDD Conference on Knowledge Discovery and Data Mining*. 1816–1825.
- [34] Fangye Wang, Yingxu Wang, Dongsheng Li, Hansu Gu, Tun Lu, Peng Zhang, and Ning Gu. 2023. CL4CTR: A Contrastive Learning Framework for CTR Prediction. In *ACM International Conference on Web Search and Data Mining (inprint)*.
- [35] Tongzhou Wang and Phillip Isola. 2020. Understanding contrastive representation learning through alignment and uniformity on the hypersphere. In *International Conference on Machine Learning*. PMLR, 9929–9939.
- [36] Xiang Wang, Xiangnan He, Meng Wang, Fuli Feng, and Tat-Seng Chua. 2019. Neural graph collaborative filtering. In *Proceedings of the 42nd international ACM SIGIR conference on Research and development in Information Retrieval*. 165–174.
- [37] Jiancan Wu, Xiang Wang, Fuli Feng, Xiangnan He, Liang Chen, Jianxun Lian, and Xing Xie. 2023. Self-supervised graph learning for recommendation. In *Proceedings of the 44th international ACM SIGIR conference on research and development in information retrieval*. 726–735.
- [38] Jun Xia, Lirong Wu, Jintao Chen, Bozhen Hu, and Stan Z Li. 2022. Simgrace: A simple framework for graph contrastive learning without data augmentation. In *ACM Web Conference*. 1070–1079.
- [39] Yonghui Yang, Le Wu, Richang Hong, Kun Zhang, and Meng Wang. 2021. Enhanced graph learning for collaborative filtering via mutual information maximization. In *Proceedings of the 44th International ACM SIGIR Conference on Research and Development in Information Retrieval*. 71–80.
- [40] Rex Ying, Ruining He, Kaifeng Chen, Pong Eksombatchai, William L. Hamilton, and Jure Leskovec. 2018. Graph Convolutional Neural Networks for Web-Scale Recommender Systems. In *KDD 2018*. 974–983.
- [41] Junliang Yu, Xin Xia, Tong Chen, Lizhen Cui, Nguyen Quoc Viet Hung, and Hongzhi Yin. 2022. XSimGCL: Towards extremely simple graph contrastive learning for recommendation. *arXiv preprint arXiv:2209.02544* (2022).
- [42] Junliang Yu, Hongzhi Yin, Xin Xia, Tong Chen, Lizhen Cui, and Quoc Viet Hung Nguyen. 2022. Are graph augmentations necessary? simple graph contrastive learning for recommendation. In *Proceedings of the 45th International ACM SIGIR Conference on Research and Development in Information Retrieval*. 1294–1303.
- [43] Junliang Yu, Hongzhi Yin, Xin Xia, Tong Chen, Jundong Li, and Zi Huang. 2022. Self-supervised learning for recommender systems: A survey. *arXiv preprint arXiv:2203.15876* (2022).
- [44] Jure Zbontar, Li Jing, Ishan Misra, Yann LeCun, and Stéphane Deny. 2021. Barlow twins: Self-supervised learning via redundancy reduction. In *International Conference on Machine Learning*. PMLR, 12310–12320.
- [45] Chaoning Zhang, Kang Zhang, Chenshuang Zhang, Trung X. Pham, Chang D. Yoo, and In So Kweon. 2022. How Does SimSiam Avoid Collapse Without Negative Samples? A Unified Understanding with Self-supervised Contrastive Learning. In *International Conference on Learning Representations*. <https://openreview.net/forum?id=bwq6O4Cwdl>
- [46] Dan Zhang, Wenzheng Feng, Yuandong Wang, Zhongang Qi, Ying Shan, and Jie Tang. 2024. DropConn: Dropout Connection Based Random GNNs for Molecular Property Prediction. *IEEE Transactions on Knowledge and Data Engineering* 36, 2

- (2024), 518–529. <https://doi.org/10.1109/TKDE.2023.3290032>
- [47] Dan Zhang, Yifan Zhu, Yuxiao Dong, Yuandong Wang, Wenzheng Feng, Evgeny Kharlamov, and Jie Tang. 2023. ApeGNN: Node-Wise Adaptive Aggregation in GNNs for Recommendation. In *Proceedings of the ACM Web Conference 2023*. 759–769.
- [48] Shaofeng Zhang, Feng Zhu, Junchi Yan, Rui Zhao, and Xiaokang Yang. 2022. Zero-CL: Instance and Feature decorrelation for negative-free symmetric contrastive learning. In *International Conference on Learning Representations*. <https://openreview.net/forum?id=RAW9tCdVxLj>
- [49] Chang Zhou, Jianxin Ma, Jianwei Zhang, Jingren Zhou, and Hongxia Yang. 2021. Contrastive learning for debiased candidate generation in large-scale recommender systems. In *Proceedings of the 27th ACM SIGKDD Conference on Knowledge Discovery & Data Mining*. 3985–3995.
- [50] Xin Zhou, Aixin Sun, Yong Liu, Jie Zhang, and Chunyan Miao. 2021. SelfCF: A Simple Framework for Self-supervised Collaborative Filtering. *arXiv preprint arXiv:2107.03019* (2021).
- [51] Yifan Zhu, Qika Lin, Hao Lu, Kaize Shi, Donglei Liu, James Chambua, Shanshan Wan, and Zhendong Niu. 2023. Recommending Learning Objects Through Attentive Heterogeneous Graph Convolution and Operation-Aware Neural Network. *IEEE Transactions on Knowledge and Data Engineering* 35, 4 (2023), 4178–4189. <https://doi.org/10.1109/TKDE.2021.3125424>

A MORE DETAILED EXPLANATION

A.1 Connection Between BCL and FCL

The part provides the theoretical analyses on Observation 3.1 in the main text, which is restated as follows for convenience.

OBSERVATION A.1. *If the two embedding matrices are standardized (i.e., they have mean zero and standard deviation one), then the objectives of BCL and FCL can be approximately transformed to each other.*

Our main idea is to transform both BCL and FCL objectives into matrix forms and then connect them through the algebraic properties of matrices.

Formally, let $\mathbf{Z} \in \mathbb{R}^{N \times D}$ and $\hat{\mathbf{Z}} \in \mathbb{R}^{N \times D}$ denote the embedding matrices of raw samples and the corresponding augmented samples in a batch, respectively. The BCL objective can be formulated as:

$$-\sum_{i=1}^N \log \left(\frac{\exp(\mathbf{z}_i^\top \hat{\mathbf{z}}_i)}{\sum_{j=1}^N \exp(\mathbf{z}_i^\top \hat{\mathbf{z}}_j)} \right) = \sum_{i=1}^N \underbrace{-\mathbf{z}_i^\top \hat{\mathbf{z}}_i}_{\text{draw close}} + \log \underbrace{\sum_{j=1}^N \exp(\mathbf{z}_i^\top \hat{\mathbf{z}}_j)}_{\text{push away}}. \quad (11)$$

Here, we assume that $\mathbf{z}_i^\top \hat{\mathbf{z}}_j \in [0, 1]$ for any $1 \leq i, j \leq N$, as the negative terms contribute little to the log-sum-exponential function. With this assumption, let us consider a surrogate of R.H.S. in Eq. (11):

$$\sum_{i=1}^N \underbrace{(1 - \mathbf{z}_i^\top \hat{\mathbf{z}}_i)^2}_{\text{draw close}} + \sum_{j \neq i} \underbrace{(\mathbf{z}_i^\top \hat{\mathbf{z}}_j)^2}_{\text{push away}}, \quad (12)$$

where the push-away term is a reasonable approximation to the counterpart in Eq. (11) since both the sum-square function and the log-sum-exponential function relatively enhance larger terms while weakening smaller terms for non-negative values. With this

surrogate, we can transform the BCL objective into a matrix form:

$$\begin{aligned} & \sum_{i=1}^N (1 - \mathbf{z}_i^\top \hat{\mathbf{z}}_i)^2 + \sum_{i=1}^N \sum_{j \neq i} (\mathbf{z}_i^\top \hat{\mathbf{z}}_j)^2 \quad (\text{BCL objective surrogate}) \\ &= \|\mathbf{I} - \hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top\|_F^2 = N + \text{Tr}(\hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top \hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top) - \text{Tr}(\hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top) - \text{Tr}(\hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top). \end{aligned} \quad (13)$$

On the other hand, with the condition that both \mathbf{Z} and $\hat{\mathbf{Z}}$ are standardized, setting the redundancy reduction weight $\lambda = 1$ in the FCL objective yields

$$\begin{aligned} & \sum_{i=1}^D (1 - C_{ii})^2 + \sum_{i=1}^D \sum_{j \neq i} (C_{ij})^2 \quad (\text{FCL objective}) \\ &= \|\mathbf{I} - \mathbf{Z}^\top \hat{\mathbf{Z}}\|_F^2 = D + \text{Tr}(\hat{\mathbf{Z}}^\top \mathbf{Z} \mathbf{Z}^\top \hat{\mathbf{Z}}) - \text{Tr}(\hat{\mathbf{Z}}^\top \mathbf{Z}) - \text{Tr}(\mathbf{Z}^\top \hat{\mathbf{Z}}). \end{aligned} \quad (14)$$

Comparing Eq. (13) and Eq. (14), we find that they differ by only a constant $|N - D|$ if $\mathbf{Z}^\top \hat{\mathbf{Z}} = \hat{\mathbf{Z}}^\top \mathbf{Z}$ and $\mathbf{Z}\mathbf{Z}^\top = \hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top$ ⁵, i.e.,

$$\begin{aligned} & \text{Tr}(\hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top \mathbf{Z}\mathbf{Z}^\top) - \text{Tr}(\hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top) - \text{Tr}(\mathbf{Z}\mathbf{Z}^\top \hat{\mathbf{Z}}) \\ &= \text{Tr}(\hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top \mathbf{Z}\mathbf{Z}^\top) - \sum_{i=1}^N \lambda_i (\hat{\mathbf{Z}}^\top \mathbf{Z}) - \sum_{i=1}^N \lambda_i (\mathbf{Z}^\top \hat{\mathbf{Z}}) \\ &= \text{Tr}(\hat{\mathbf{Z}}^\top \mathbf{Z} \mathbf{Z}^\top \hat{\mathbf{Z}}) - \sum_{i=1}^D \lambda_i (\hat{\mathbf{Z}}^\top \mathbf{Z}) - \sum_{i=1}^D \lambda_i (\mathbf{Z}^\top \hat{\mathbf{Z}}) \\ &= \text{Tr}(\hat{\mathbf{Z}}^\top \mathbf{Z} \mathbf{Z}^\top \hat{\mathbf{Z}}) - \text{Tr}(\hat{\mathbf{Z}}^\top \mathbf{Z}) - \text{Tr}(\mathbf{Z}^\top \hat{\mathbf{Z}}), \end{aligned} \quad (15)$$

where λ_i stands for the i -th eigenvalue, and the equation from the second row to the third row holds because $\hat{\mathbf{Z}}^\top \mathbf{Z}$, $\mathbf{Z}^\top \hat{\mathbf{Z}}$, $\hat{\mathbf{Z}}^\top \mathbf{Z}$ and $\mathbf{Z}^\top \hat{\mathbf{Z}}$ share exactly the same non-zero eigenvalues [17]. Note that the conditions $\mathbf{Z}^\top \hat{\mathbf{Z}} = \hat{\mathbf{Z}}^\top \mathbf{Z}$ and $\mathbf{Z}\mathbf{Z}^\top = \hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top$ can be satisfied if $\mathbf{Z} \approx \hat{\mathbf{Z}}$, which is mild requirement since the objective of CL naturally leads to $\mathbf{Z} \approx \hat{\mathbf{Z}}$. Eq. (15) reveals that, under the assumed conditions, the objectives of BCL and FCL can be approximately transformed to each other.

A.2 Joint BCL and FCL

OBSERVATION A.2. *For normalized sample embedding, pushing negative pairs away has different influences to embedding learning between BCL and FCL. For BCL, it encourages samples to be evenly distributed in the embedding space. For FCL, it tends to drive the representations of samples to be orthogonal. This difference is mainly due to that BCL encourages the inner product of negative pairs (in the batch dimension) to be as small as possible; but FCL only enforces the inner product of negative pairs (in the feature dimension) to be close to zero, which implicitly encourages the representations of samples (in the batch dimension) to be orthogonal. If we combine BCL and FCL, pushing negative pairs away will not only encourage sample representations to be evenly distributed in the embedding space but also help eliminate redundant solutions (Cf. Figure 1). This regularity can benefit embedding learning as the embedding dimension increases⁶.*

The key to our interpretation for Observation 3.2 is to consider the quality of the solution sets resulting from the push-away objectives (for negative pairs) in BCL and FCL: using only BCL or only FCL would lead to a large number of redundant solutions while

⁵These two conditions imply that $\text{Tr}(\hat{\mathbf{Z}}\hat{\mathbf{Z}}^\top \mathbf{Z}\mathbf{Z}^\top) = \text{Tr}(\hat{\mathbf{Z}}^\top \mathbf{Z} \mathbf{Z}^\top \hat{\mathbf{Z}})$, and all $\hat{\mathbf{Z}}^\top \mathbf{Z}$, $\mathbf{Z}^\top \hat{\mathbf{Z}}$, $\hat{\mathbf{Z}}^\top \mathbf{Z}$ and $\mathbf{Z}^\top \hat{\mathbf{Z}}$ can be similarly diagonalized.

⁶Empirical evidence will be provided in Section ??.

combining BCL and FCL would effectively reduce this redundancy and never miss an optimal solution. We start with the special case of one negative pair (the example shown in Figure 1), followed by a general case of an arbitrary number of negative samples.

Theory-wise. Suppose that $\mathbf{z}_1 \in \mathbb{R}^D$ and $\mathbf{z}_2 \in \mathbb{R}^D$ are representations of a negative pair residing on a hyper-sphere surface $\mathcal{S}^{D-1} \triangleq \{\mathbf{z} \in \mathbb{R}^D \mid \|\mathbf{z}\|_2 = 1\}$. Then the push-away objective in BCL and FCL can be respectively formulated as

$$\min_{\mathbf{z}_1, \mathbf{z}_2 \in \mathcal{S}^{D-1}} \underbrace{\exp(\mathbf{z}_1^\top \mathbf{z}_2)}_{\text{push-away in BCL}} \triangleq \min_{\mathbf{z}_1, \mathbf{z}_2 \in \mathcal{S}^{D-1}} \mathbf{z}_1^\top \mathbf{z}_2, \quad (16)$$

and

$$\min_{\mathbf{z}_1, \mathbf{z}_2 \in \mathcal{S}^{D-1}} \underbrace{\sum_{i=1}^D \sum_{j \neq i} (C_{ij})^2}_{\text{push-away in FCL}} \triangleq \min_{\mathbf{z}_1, \mathbf{z}_2 \in \mathcal{S}^{D-1}} \|\text{off-diag}(\mathbf{z}_1 \mathbf{z}_1^\top + \mathbf{z}_2 \mathbf{z}_2^\top)\|_F^2, \quad (17)$$

where $\text{off-diag}(\cdot)$ denotes a projection operator which preserves the off-diagonal elements of a matrix. It can be verified that the optimal solution to (16) and (17) is given by

$$\mathcal{Z}_B^* = \{(\mathbf{z}_1, \mathbf{z}_2) \mid \mathbf{z}_1, \mathbf{z}_2 \in \mathcal{S}^{D-1}, \mathbf{z}_1 = -\mathbf{z}_2\} \quad (18)$$

and

$$\mathcal{Z}_F^* = \{(\mathbf{z}_1, \mathbf{z}_2) \mid \mathbf{z}_1, \mathbf{z}_2 \in \mathcal{S}^{D-1}, \text{off-diag}(\mathbf{z}_1 \mathbf{z}_1^\top + \mathbf{z}_2 \mathbf{z}_2^\top) = \mathbf{0}\}, \quad (19)$$

respectively. In general, a solution in \mathcal{Z}_B^* (cf. the top right of Figure 1) does not admit a solution in \mathcal{Z}_F^* (cf. the bottom left of Figure 1). However, if \mathbf{z}_1 is a one-hot vector and $\mathbf{z}_2 = -\mathbf{z}_1$ (cf. the bottom right of Figure 1), substituting them into (16) and (17) respectively yields the optimal value -1 and 0, implying that they exactly fall into the joint solution set $\mathcal{Z}_B^* \cap \mathcal{Z}_F^* \neq \emptyset$. The above analysis explains the derivation of Figure 1 in our paper.

Regarding "implicitly encourages the representations of samples (in the batch dimension) to be orthogonal", let us first consider a special case where the normalized embedding matrices $\mathbf{Z}, \hat{\mathbf{Z}} \in \mathbb{R}^{B \times F}$ and the feature dimension B equals the batch dimension F . In this case, the FCL objective which optimize $\mathbf{Z}^\top \hat{\mathbf{Z}}$ to approach the identity matrix \mathbf{I} indeed encourages the representations of samples to be orthogonal (i.e., $\mathbf{Z}\hat{\mathbf{Z}}^\top \approx \mathbf{I}$) since $\mathbf{Z}\hat{\mathbf{Z}}^\top = \mathbf{I} \iff \mathbf{Z}^\top \hat{\mathbf{Z}} = \mathbf{I}$. For the case $B > F$, FCL encourages feature embeddings to fall into F clusters which are orthogonal to each other. For the case $B < F$, FCL encourages feature embeddings to be orthogonal in a subspace.

Furthermore, for the general case where N negative samples constitute a representation matrix $\mathbf{Z} \in \mathbb{R}^{N \times D}$, the push-away objective in BCL and FCL can be respectively formulated as

$$f_B(\mathbf{Z}) \triangleq \mathbf{1}^\top \text{off-diag}(\mathbf{Z}\mathbf{Z}^\top) \mathbf{1} \text{ and } f_F(\mathbf{Z}) \triangleq \|\text{off-diag}(\mathbf{Z}^\top \mathbf{Z})\|_F^2, \quad (20)$$

where $\mathbf{1} \in \mathbb{R}^N$ denotes a all-one vector. It is easy to verify that f_B and f_F are respectively invariant under the right rotation and the left rotation, i.e.,

$$f_B(\mathbf{Z}\mathbf{R}_B) = f_B(\mathbf{Z}) \text{ and } f_F(\mathbf{R}_F \mathbf{Z}) = f_F(\mathbf{Z}), \quad (21)$$

where $\mathbf{R}_B \in \mathbb{R}^{D \times D}$ and $\mathbf{R}_F \in \mathbb{R}^{N \times N}$ denote any rotation matrices. FCL inherently tends to make each feature dimension orthogonal to each other. However, this does not necessarily imply that the samples are positioned on the axes. These rotation-invariances induce redundancy when using BCL only or FCL only. Positioning the samples on the axes represents merely one specific instance of many redundant solutions. In contrast, combining BCL and FCL eliminates this redundancy since $f_{B+F}(\mathbf{Z}) \triangleq f_B(\mathbf{Z}) + f_F(\mathbf{Z})$ is neither left-rotation invariant nor right-rotation invariant in general. On the other hand, one can construct an optimal solution to f_{B+F} that also admits the optimality of both f_B and f_F , so using f_{B+F} never miss the optimal solution.

In summary, combining the push-away objectives in BCL and FCL would reduce redundant solutions but never miss an optimal solution, thus qualifying as a more reasonable regularization. These analyses support our claims in Observation 3.2.

Experiment-wise. Remarkably, in the theoretical part, we consider the case where the vanilla BCL and FCL are directly combined by means of addition for easy of analysis. In practice, RecDCL incorporates more advanced BCL and FCL techniques in a soft way. This creates a slight discrepancy between theory and experience: the gap in average entropy between RecDCL and BCL is not very obvious. Nevertheless, they are consistent in trend.

B EFFICIENCY ANALYSES

RecDCL explores the influence of representation size from low dimension 32 to high dimension 2048 in feature-wise objectives. Therefore, we compare the training efficiency of RecDCL with the two methods that are most related to RecDCL, i.e., representative LightCCN and the state-of-the-art DirectAU. Considering space constraints and simplicity, here, we only present the largest dataset Food by Table 8. As we can see, Table 8 shows the reported results of memory consume (Memory), training time per epoch (Time/epoch), total epochs (#Epochs) and final performance (NDCG@20) when embedding size is setting as 2048. To fairly compare, we set the training batch size as 1024 and implement representative methods under the same framework RecBole.

Table 8: Efficiency comparison of largest dataset Food (h: hour, m: minute, s: second).

Model	Memory	Time/epoch	#Epochs	NDCG@20
LightGCN	20,391MB	487s	57	16.77
DirectAU	26,533MB	426s	43	22.41
RecDCL	21,853MB	318s	253	23.27

The statistic results in Table 8 show that LightGCN is the slowest in terms of the training time per epoch, which is since it performs multi-hop neighborhood aggregation and linear propagation and optimizes objective by time-consuming BPR loss. By contrast, our RecDCL consumes the least amount of time per epoch, but more total training time due to more epochs required than LightGCN and DirectAU. Surprisingly, these two methods take roughly the same amount of space, which indicates the advantage of RecDCL over LightGCN. DirectAU is indeed the most efficient of the two

indicators, i.e., training time per epoch and total epochs, but it consumes a little more memory than LightGCN and our RecDCL.

Though RecDCL requires more training epochs, it consistently brings performance improvements to RecDCL. However, possibly due to that RecDCL uses a comprehensive loss function leading to a more intricate "optimization path". In contrast, the performance of LightGCN and DirectAU plateaus quickly but remained unchanged after that. Thus, we believe the performance benefits and running costs in practice are indeed justified and acceptable.

C MORE DETAILED DISCUSSION

As for the relation and differences between batch-wise and feature-wise CL, we will perform a more detailed discussion.

Relation. Traditional CL is characterized by an anchor, a positive sample, and several negative samples, with the objective being to draw the anchor closer to the positive and further from the negatives, establishing a contrastive dynamic. In the case of DirectAU, the principles of Alignment and Uniformity (AU) mirror these roles: Alignment propels a user embedding (serving as the anchor) towards the item embedding (the positive sample) with which it has interacted, while Uniformity functions to spatially separate this user embedding from other user embeddings, akin to the role of negative samples in standard CL. This framework essentially positions the user embedding in a contrastive landscape relative to other embeddings. Despite the necessity of supervised information for positive user-item pairs, we posit that the foundational contrastive notion inherent in AU merits its classification under the umbrella of CL. This viewpoint is bolstered by a body of work suggesting a fundamental congruence between AU and CL. For example, in [35], the authors proved that optimizing for contrastive loss amplifies AU's efficacy, which will bring positive effects to downstream tasks. Furthermore, uCTRL [23] acknowledges the influence of DirectAU and its use of contrastive representation learning. Therefore, in light of these considerations and the evolving understanding of CL, particularly in the context of recommendation systems, we have included DirectAU and similar methodologies in the category of contrastive learning-based methods in our research. We believe this broader interpretation of CL fosters a more expansive and nuanced comprehension of these techniques and their mechanics.

Additionally, as formulated in Eq. (4), the objective function of Barlow Twins essentially plays a role similar to the contrastive term in existing objective functions for self-supervised learning, such as the representative InfoNCE in SGL [37]. In this regard, we have analyzed it theoretically in A.1.

Differences. Compared to batch-wise CL methods, there exist certain advantages in our method or other batch-wise CL methods due to important conceptual differences between batch-wise and feature-wise CL. Through a detailed analysis, the main differences between batch-wise and feature-wise CL focus on two aspects.

- **FCL** methods represented by Barlow Twins strongly benefit from pretty high-dimensional embeddings, which still is acceptable although a rather high computational cost.
- **BCL**, intriguingly, the batch-wise objective maximizes the variability of the embedding vectors via maximizing the pairwise distance between all interacted user-item pairs, while feature-wise

CL methods do this by decorrelating each component of these embedding vectors. Thus, to provide better performance of recommendation, we develop RecDCL by combining the strengths of feature-wise and batch-wise objectives which can maximize the benefits of CL.

• **FCL+BCL (CL4CTR)** focus is on addressing the "long tail" distribution of feature frequencies by directly learning accurate feature representations through BCL and FCL. RecDCL focuses on combining the FCL objective and BCL objective whose effectiveness is to reduce redundant solutions but never miss an optimal solution, making it a more reasonable regularization technique.

D MORE DETAILED EXPERIMENTS

D.1 Algorithm and Complexity

Training Algorithm. Let $|\mathcal{U}|$, $|\mathcal{I}|$ and $|\mathcal{E}|$ denote the number of user nodes, item nodes, and edges in a user-item bipartite graph \mathcal{G} , respectively. B and F stand for the batch size and the feature size. s represents the number of epochs and L is the number of GCN layers. The training process is shown in Algorithm 1.

Algorithm 1: The training process of the RecDCL.

Input: f_{θ} : graph encoder, L : number of layer.

Output: encoder parameters θ .

Data: \mathcal{G} : user-item bipartite graph, \mathcal{U} : user set, \mathcal{I} : item set, \mathcal{R} : positive pairs

for each mini-batch with positive pairs $(u, i) \in \mathcal{R}$ **do**

Initialize $\mathbf{e}_u^{(0)}, \mathbf{e}_i^{(0)}, \forall u \in \mathcal{U}, \forall i \in \mathcal{I}$;

Generate \mathbf{e}_u and \mathbf{e}_i via encoder $f_{\theta}(u, L)$ and $f_{\theta}(i, L)$;

Normalize \mathbf{e}_u : $\mathbf{e}_u = \mathbf{e}_u / \|\mathbf{e}_u\|$;

Normalize \mathbf{e}_i : $\mathbf{e}_i = \mathbf{e}_i / \|\mathbf{e}_i\|$;

Calculate UIBT loss by Eq. (5);

Calculate UUII loss by Eq. (6);

Calculate BCL loss by Eq. (9);

Calculate total loss by Eq. (10).

Time Complexity. We analyze how the feature-wise or batch-wise objectives impact the complexity of CL-based recommendation methods with LightGCN as the based encoder. The time complexity of RecDCL training mainly includes the following parts:

- Encoding. The time complexity of the graph convolution module in the based encoder is $O(2|\mathcal{E}|sLF \frac{|\mathcal{E}|}{B})$.
- Evaluating CL loss. For feature-wise alignment, we use only user-item positive pair, thus the complexity is linear to $\frac{|\mathcal{E}|}{B}$, i.e., $O(sF \frac{|\mathcal{E}|}{B} \frac{|\mathcal{E}|}{B})$. As defined in Eq. (6), we calculate feature-wise uniformity for users and items. The complexity of user side and item side are both $O(sF \frac{|\mathcal{E}|}{B} \frac{|\mathcal{E}|}{B})$ during whole training phase. Within a batch, the complexity of output augmentation is $O(sF)$. Therefore, the total complexity of RecDCL is linear to the feature size F , i.e., $O(\frac{(2sLB+3)F|\mathcal{E}|}{BB})$.